

# CATALOGUE OF IDEAS

Log cabins | Living houses | Garages | Constructions



2021 / 2022



## Options

You can choose a standard house from the catalogue or order a house according to your own design on a bespoke basis. To achieve the best possible result, the combination of various parts of the house has to be planned:



**Walls**



**Roof**



**Floor**



**Doors**



**Windows**



## Walls

Our products are available in 2 quality grades: **summer house grade** (houses with a wall thickness of 44 mm or more) and **living house grade** (houses with a wall thickness of 90 mm or more).

### Solid timber

#### STANDARD



34 mm



44 mm



68 mm



90 mm



120 mm



160 mm

### Glulam timber

#### OPTIONAL



90 mm



120 mm



160 mm



200 mm


### Additional reinforcement



U profile



Wall reinforcement



Window / door reinforcement



## Doors



## Windows

For doors and windows, we offer three quality grades: Superior, Premium and Silver line.

### **SUPERIOR**line

Comes in any size, both standard and bespoke








Doors




Windows

## SUPERIORline

Comes in any size, both standard and bespoke



**4/10/4 mm**  
double glazed windows  
*(toughened glass option  
available)*



Removable external  
Georgian bars  
available



External stainless  
steel sill



Quality  
handles



Tilt & turn system  
*(inside opening)*



**Doors****Windows****PREMIUM**line

Comes in any size, both standard and bespoke



Scandinavian  
galvanized  
hinges



Durable  
seals



Top quality locks



Single panel  
filling



Doors




Windows

## PREMIUMline

Comes in any size, both standard and bespoke



**4/16/4 mm**  
double glazed windows  
*(toughened glass option available)*



Factory pre-installed  
Georgian bars  
available



External stainless  
steel sill



Top quality  
handles




Tilt & turn system  
*(inside opening)*




**Doors****Windows****SILVER**line

Comes in standard window and door sizes only



**4/6/4 mm**  
double glazed windows  
*(toughened glass option available)*



Removable external  
Georgian bars  
available



White handles




Turn system  
*(outside opening only)*



## Standard sizes

We are offering standard sizes to simplify your ordering. However, we can produce custom size doors and windows according to your specification.



Door dimensions



Window dimensions

## Windows shutters




Shutters can only be ordered with inside-opening windows. Hence, shutters cannot be applied for Silver line quality, as well as in those cases when Superior or Premium windows are ordered with outside opening.



## Aluminium constructions

Min. section width	70 cm
Max. section width	120 cm
Recommended height	2 m
Max. possible height	2.4 m
Glass	Standard 4/8/4. Tempered glass available
Color	White, brown, anthracite






**Roof**



**Floor**

Choose between two board thicknesses:  
19 mm and 28 mm. Solid roof beams as  
standard or glulam as an option.

### Boards available



Floor / roof boards



Terrace boards

### Board thickness:



19 mm



28 mm





## ● GARDEN CABINS





## ARAL 4.9 m<sup>2</sup>

1 window, 1 door included

Recommended minimal wall thickness: **34 mm**

Dimensions: 1.8 x 2.8 m  
Total height: 2242 mm  
Wall height: 1890 mm





## **BALATON** 7.7 m<sup>2</sup> *(without terrace)*

3 windows, 2 doors included

Recommended minimal wall thickness: **34 mm**

Dimensions: 2.8 x 2.8 m

Total height: 2654 mm

Wall height: 2160 mm

Terrace size: 4.5 m<sup>2</sup>





## **BESSON** 9.8 m<sup>2</sup> *(without terrace)*

6 windows, 2 doors included

Recommended minimal wall thickness: **34 mm**

Dimensions: 3.3 x 4.8 m

Total height: 2731 mm

Wall height: 2160 mm

Terrace size: 5.8 m<sup>2</sup>



## **BITAN** 10.2 m<sup>2</sup>

1 window, 1 door included

Recommended minimal wall thickness: **34 mm**

Dimensions: 1.8 x 5.8 m

Total height: 2377 mm

Wall height: 2025 mm





## CLARET 10.8 m<sup>2</sup> *(without terrace)*

3 windows, 2 doors included

Recommended minimal wall thickness: **34 mm**

Dimensions: 5.1 x 2.8 m

Total height: 2743 mm

Wall height: 2161 mm

Terrace size: 3.2 m<sup>2</sup>





## LADOGA 10.7 m<sup>2</sup> *(without terrace)*

3 windows, 2 doors included

Recommended minimal wall thickness: **34 mm**

Dimensions: 3.9 x 5.8 m

Total height: 2832 mm

Wall height: 2160 mm

Terrace size: 12 m<sup>2</sup>





## COMO 12 m<sup>2</sup> *(without terrace)*

3 windows, 3 doors included

Recommended minimal wall thickness: **34 mm**


Dimensions: 4.4 x 4.4 m

Total height: 3203 mm

Wall height: 2160 mm

Terrace size: 7.3 m<sup>2</sup>





## MICHIGAN 13.3 m<sup>2</sup> *(without terrace)*

5 windows, 2 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 3.7 x 5.1 m

Total height: 2925 mm

Wall height: 2295 mm

Terrace size: 5.2 m<sup>2</sup>





## **SANABRIA** 13.9 m<sup>2</sup> *(without terrace)*

4 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.8 x 3.9 m

Total height: 3102 mm

Wall height: 2295 mm

Terrace size: 4.9 m<sup>2</sup>



## SEPIK 14.4 m<sup>2</sup> *(without terrace)*

1 window, 3 doors included

Recommended minimal wall thickness: **44 mm**


Dimensions: 3.3 x 5.3 m

Total height: 2503 mm

Wall height: 2295 mm

Terrace size: 2.7 m<sup>2</sup>





## PEYRON 14.7 m<sup>2</sup> *(without terrace)*

5 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.9 x 3.9 m

Total height: 2748 mm

Wall height: 2160 mm

Terrace size: 4.3 m<sup>2</sup>





## **VALENCIA** 14.8 m<sup>2</sup> *(without terrace)*

4 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**


Dimensions: 3.4 x 5.6 m

Total height: 2917 mm

Wall height: 2295 mm

Terrace size: 3.9 m<sup>2</sup>





## **ROND** 15.3 m<sup>2</sup> *(without terrace)*

4 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.3 x 4.4 m

Total height: 2890 mm

Wall height: 2160 mm

Terrace size: 3.7 m<sup>2</sup>



## **OHRID** 16.1 m<sup>2</sup> *(without terrace)*

3 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 3.8 x 4.8 m

Total height: 2368 mm

Wall height: 2160 mm

Terrace size: 1.8 m<sup>2</sup>





## URMIA 17.1 m<sup>2</sup> *(without terrace)*

4 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.4 x 4.4 m  
 Total height: 3034 mm  
 Wall height: 2295 mm  
 Terrace size: 2 m<sup>2</sup>



## LENA 16.8 m<sup>2</sup> *(without terrace)*

2 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.9 x 5.9 m

Total height: 2641 mm

Wall height: 2565 mm

Terrace size: 12.2 m<sup>2</sup>





**VAN** 17.8 m<sup>2</sup> *(without terrace)*

5 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.7 x 4.1 m

Total height: 3086 mm

Wall height: 2295 mm

Terrace size: 1.4 m<sup>2</sup>



## HURON 18 m<sup>2</sup> *(without terrace)*

3 windows, 2 doors included

Recommended minimal wall thickness: **34 mm**

Dimensions: 3.8 x 4.8 m

Total height: 2942 mm

Wall height: 2295 mm

Terrace size: 6 m<sup>2</sup>






## MATANO 18.5 m<sup>2</sup>

5 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 3.4 x 5.4 m  
Total height: 2367 mm  
Wall height: 2160 mm



## **TITICACA** 19.1 m<sup>2</sup> *(without terrace)*

2 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.3 x 5.3 m

Total height: 3016 mm

Wall height: 2295 mm

Terrace size: 3.2 m<sup>2</sup>





## ONEGA 19 m<sup>2</sup>

3 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4 x 4.7 m  
Total height: 2982 mm  
Wall height: 2295 mm



## GRANADA 19 m<sup>2</sup>

3 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 3.3 x 5.9 m

Total height: 2644 mm

Wall height: 2160 mm





## ESCUR 19.1 m<sup>2</sup>

5 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.4 x 4.4 m  
Total height: 2899 mm  
Wall height: 2160 mm



## LANTAN 19.1 m<sup>2</sup>

3 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.4 x 4.4 m

Total height: 3034 mm

Wall height: 2295 mm





## MALAWI 21.5 m<sup>2</sup>

4 windows, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 2.8 x 5.8 m  
 Total height: 2651 mm  
 Wall height: 2160 mm





## COVADONGA 17.5 m<sup>2</sup> *(without terrace)*

4 windows, 2 doors, and stairs included

Recommended minimal wall thickness: **44 mm**

Dimensions: 3.3 x 4.3 m

Total height: 4396 mm

Wall height: 2700 mm

Terrace size: 2.2 m<sup>2</sup>






**Ground  
floor:**



**First  
floor:**





**CAMI** 38 m<sup>2</sup> *(without terrace)*

7 windows, 3 doors, and stairs included

Recommended minimal wall thickness: **68 mm**

Dimensions: 5.4 x 4.9 m

Total height: 4939 mm

Wall height: 2969 mm

Terrace size: 2.7 m<sup>2</sup>





**Ground  
floor:**



**First  
floor:**







## **ROND XL** 26.2 m<sup>2</sup> *(without terrace)*

4 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 5.6 x 5.8 m

Total height: 3080 mm

Wall height: 2160 mm

Terrace size: 5.8 m<sup>2</sup>





## ONEGA XL 26.3 m<sup>2</sup>

4 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.8 x 5.5 m  
Total height: 3092 mm  
Wall height: 2295 mm





## **WATERTON** 26.5 m<sup>2</sup> *(without terrace)*

4 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**


Dimensions: 6.8 x 6.8 m

Total height: 3398 mm

Wall height: 2295 mm

Terrace size: 19.1 m<sup>2</sup>





## ONTARIO 27.3 m<sup>2</sup>

5 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.8 x 5.8 m  
Total height: 3092 mm  
Wall height: 2295 mm





## ONTARIO XL 27.3 m<sup>2</sup>

5 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.8 x 4.8 m  
Total height: 3092 mm  
Wall height: 2295 mm



## VALENCIA XL 26.7 m<sup>2</sup> *(without terrace)*

6 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.8 x 7.8 m

Total height: 3189 mm

Wall height: 2295 mm

Terrace size: 10.2 m<sup>2</sup>





## URMIA XL 30.1 m<sup>2</sup> *(without terrace)*

5 windows, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 5.8 x 5.8 m

Total height: 3245 mm

Wall height: 2295 mm

Terrace size: 3 m<sup>2</sup>





## NAVARRA 32.1 m<sup>2</sup>

7 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.8 x 6.8 m

Total height: 3400 mm

Wall height: 2565 mm





**GILA** 32.4 m<sup>2</sup> *(without terrace)*

4 windows, 5 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 5.8 x 6.8 m

Total height: 2978 mm

Wall height: 2295 mm

Terrace size: 6.4 m<sup>2</sup>



## **VAN XL** 33.4 m<sup>2</sup> *(without terrace)*

6 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 6.8 x 5.8 m

Total height: 3398 mm

Wall height: 2295 mm

Terrace size: 5.4 m<sup>2</sup>





## **TULARE** 50.7 m<sup>2</sup>

10 windows, 3 doors, and stairs included

Recommended minimal wall thickness: **68 mm**

Dimensions: 5.1 x 7.4 m

Total height: 4406 mm

Wall height: 2430 mm



**Ground  
floor:**



**First  
floor:**







## WINNIPEG 37.6 m<sup>2</sup> *(without terrace)*

6 windows, 4 doors included


Recommended minimal wall thickness: **44 mm**

Dimensions: 6.8 x 7.8 m

Total height: 3270 mm

Wall height: 2295 mm

Terrace size: 14.7 m<sup>2</sup>



## MANITOBA 43.3 m<sup>2</sup> *(without terrace)*

6 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 6.8 x 7.8 m

Total height: 3270 mm

Wall height: 2295 mm

Terrace size: 9 m<sup>2</sup>





## DUERO 43 m<sup>2</sup> *(without terrace)*

4 windows, 6 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 7.8 x 7.8 m

Total height: 3191 mm

Wall height: 2295 mm

Terrace size: 17.1 m<sup>2</sup>



## TEIDE 46.5 m<sup>2</sup>

7 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 6 x 7.8 m  
Total height: 3611 mm  
Wall height: 2565 mm





## **BURGAS** 48.1 m<sup>2</sup> *(without terrace)*

9 windows, 5 doors included

Recommended minimal wall thickness: **44 mm**


Dimensions: 8.4 x 6.9 m

Total height: 2639 mm

Wall height: 2160 mm

Terrace size: 10.1 m<sup>2</sup>





## **VOLTA** 48 m<sup>2</sup> *(without terrace)*

9 windows, 4 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 4 x 13.21 m

Total height: 2906 mm

Wall height: 2295 mm

Terrace size: 18 m<sup>2</sup>





## TINTO 56.2 m<sup>2</sup>


8 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 7.3 x 7.8 m

Total height: 3814 mm

Wall height: 2565 mm



## VELETA 70.7 m<sup>2</sup>

8 windows, 4 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 7.3 x 9.8 m  
 Total height: 3814 mm  
 Wall height: 2565 mm





## MILK 75.8 m<sup>2</sup>

7 windows, 7 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 8.7 x 8.7 m

Total height: 3532 mm


Wall height: 2295 mm








Glued wood profiles



68 mm



88 mm

## ● LIVING HOUSES





## **GARDA** 60.9 m<sup>2</sup> *(without terrace)*

7 windows, 5 doors and stair included

Recommended minimal wall thickness: **68 mm**

Dimensions: 7.5 x 9.8 m  
 Total height: 3040 mm  
 Wall height: 2970 mm  
 Terrace size: 13.2 m<sup>2</sup>





## **ALDAN** 57.6 m<sup>2</sup> *(without terrace)*

5 windows, 7 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 6.5 x 11.7 m

Total height: 3360 mm

Wall height: 2295 mm

Terrace size: 18.6 m<sup>2</sup>



## GENIL 59 m<sup>2</sup> *(without terrace)*

6 windows, 4 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 7.7 x 8.7 m

Total height: 3679 mm

Wall height: 2430 mm

Terrace size: 8 m<sup>2</sup>



**TAGUS** 48 m<sup>2</sup> *(without terrace)*

8 windows, 3 doors, and stairs included

Recommended minimal wall thickness: **90 mm**

Dimensions: 8.9 x 5.9 m


Total height: 5400 mm

Wall height: 5330 mm

Terrace size: 44.3 m<sup>2</sup>





**Ground floor:**



**First floor:**







## AMUR 68.2 m<sup>2</sup> *(without terrace)*

7 windows, 4 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 7.6 x 10.7 m

Total height: 3927 mm

Wall height: 2470 mm

Terrace size: 13.5 m<sup>2</sup>



## LOIRE 60.3 m<sup>2</sup> *(without terrace)*

3 windows, 5 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 9.2 x 8.6 m

Total height: 4052 mm

Wall height: 2700 mm

Terrace size: 18.2 m<sup>2</sup>



**OKA** 45.3 m<sup>2</sup> *(without terrace)*

6 windows, 5 doors, and stairs included

Recommended minimal wall thickness: **90 mm**

Dimensions: 6 x 8.1 m

Total height: 5609 mm

Wall height: 2730 mm

Terrace size: 23.6 m<sup>2</sup>






**Ground floor:**



**First floor:**







## NASSER 62.4 m<sup>2</sup> *(without terrace)*

7 windows, 9 doors, and stairs included

Recommended minimal wall thickness: **68 mm**

Dimensions: 7.2 x 8.8 m

Total height: 5639 mm

Wall height: 3120 mm

Terrace size: 17.3 m<sup>2</sup>





**Ground floor:**



**First floor:**







## ELBE 107.3 m<sup>2</sup>

13 windows, 9 doors, and stairs included

Recommended minimal wall thickness: **90 mm**

Dimensions: 8.4 x 9.5 m

Total height: 5748 mm

Wall height: 2990 mm






**Ground floor:**



**First floor:**







## **VICTORIA** 64.4 m<sup>2</sup> *(without terrace)*

6 windows, 4 doors, and stairs included

Recommended minimal wall thickness: **68 mm**

Dimensions: 5.5 x 7.2 m

Total height: 5840 mm

Wall height: 4050 mm

Terrace size: 13.9 m<sup>2</sup>






**Ground floor:**



**First floor:**







## EBRO 80.1 m<sup>2</sup> *(without terrace)*

7 windows, 7 doors included

Recommended minimal wall thickness: **44 mm**


Dimensions: 8.6 x 10.3 m

Total height: 3808 mm

Wall height: 2430 mm

Terrace size: 7.6 m<sup>2</sup>





**NILE** 92.8 m<sup>2</sup> *(without terrace)*

7 windows, 6 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 10.2 x 11.2 m

Total height: 4402 mm

Wall height: 2430 mm

Terrace size: 22.2 m<sup>2</sup>





## **DON** 73.2 m<sup>2</sup> *(without terrace)*

9 windows, 9 doors, and stairs included

Recommended minimal wall thickness: **90 mm**

Dimensions: 7.4 x 8.9 m

Total height: 6026 mm

Wall height: 3380 mm

Terrace size: 29 m<sup>2</sup>




**Ground  
floor:**



**First  
floor:**







## CATALAN 115.9 m<sup>2</sup> *(without terrace)*

8 windows, 10 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 8.9 x 13.4 m

Total height: 3721 mm

Wall height: 2295 mm

Terrace size: 2.7 m<sup>2</sup>





## **KARE** 108.4 m<sup>2</sup> *(without terrace)*

10 windows, 6 doors included

Recommended minimal wall thickness: **68 mm**

Dimensions: 11.9 x 9.9 m

Total height: 2773 mm

Wall height: 2295 mm

Terrace size: 8.6 m<sup>2</sup>





## CONGO 110.1 m<sup>2</sup> *(without terrace)*

10 windows, 8 doors, and stairs included

Recommended minimal wall thickness: **90 mm**

Dimensions: 6.6 x 10.3 m

Total height: 5725 mm


Wall height: 2990 mm

Terrace size: 3.5 m<sup>2</sup>






**Ground floor:**



**First floor:**







## RIO GRANDE 122.3 m<sup>2</sup> (without terrace)

9 windows, 11 doors included


Recommended minimal wall thickness: **68 mm**

Dimensions: 7.9 x 18 m

Total height: 2987 mm

Wall height: 2430 mm

Terrace size: 20 m<sup>2</sup>



## AMAZON 145 m<sup>2</sup> *(without terrace)*

15 windows, 10 doors included

Recommended minimal wall thickness: **90 mm**

Dimensions: 9.3 x 18.2 m

Total height: 4248 mm

Wall height: 2860 mm

Terrace size: 20.6 m<sup>2</sup>





## ● GARAGES



## MARACAIBO 19.1 m<sup>2</sup>

1 window, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 3.7 x 5.1 m  
Total height: 2936 mm  
Wall height: 2295 mm





## NEGRATIN 19.2 m<sup>2</sup>

2 doors included

Recommended minimal wall thickness: **34 mm**

Dimensions: 3.5 x 5.4 m  
 Total height: 2906 mm  
 Wall height: 2295 mm






## SKADAR 22.7 m<sup>2</sup> *(without terrace)*

1 window, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 5 x 5.5 m  
Total height: 3020 mm  
Wall height: 2160 mm  
Terrace size: 4.8 m<sup>2</sup>





## LUGANO 28.7 m<sup>2</sup>

1 window, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 5.8 x 5.8 m

Total height: 3245 mm

Wall height: 2295 mm

Terrace size: 4.4 m<sup>2</sup>





## NAMAK 34.7 m<sup>2</sup>

1 window, 3 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 6.3 x 5.5 m  
Total height: 3124 mm  
Wall height: 2160 mm





## **BASALT** 50.2 m<sup>2</sup> *(without terrace)*

1 window, 2 doors included

Recommended minimal wall thickness: **44 mm**

Dimensions: 4.9 x 10.2 m

Total height: 3252 mm

Wall height: 2295 mm





## ● CONSTRUCTIONS





## FUJI 13.14 m<sup>2</sup>

Roof area: 13.14 m<sup>2</sup>

Dimensions: 4.76 x 2.76 m

Column thickness: 115 x 115 mm

Rafter thickness:  
70 x 200 mm  
90 x 250 mm





## **SINAI** 19.72 m<sup>2</sup>

Roof area: 21.51 m<sup>2</sup>

Dimensions:	3.40 x 5.80 m
Column thickness:	115 x 115 mm 70 x 150 mm
Rafter thickness:	70 x 200 mm 90 x 250 mm





## ETNA 22.19 m<sup>2</sup>

Roof area: 22.37 m<sup>2</sup>

Dimensions: 3.80 x 5.84 m

Column thickness: 180 x 180 mm

Rafter thickness:  
70 x 200 mm  
90 x 250 mm





## ELBRUS 23.04 m<sup>2</sup>

Roof area: 27.48 m<sup>2</sup>

Dimensions:	4.80 x 4.80 m
Column thickness:	180 x 180 mm
Rafter thickness:	50 x 150 mm
	90 x 250 mm





## ARARAT 27.09 m<sup>2</sup>

Roof area: 29.22 m<sup>2</sup>

Dimensions: 4.30 x 6.30 m

Column thickness: 180 x 180 mm

Rafter thickness:  
70 x 150 mm  
90 x 250 mm





## KILIMANJARO 35.66 m<sup>2</sup>

Roof area: 37.84 m<sup>2</sup>

Dimensions:	5.66 x 6.30 m
Column thickness:	180 x 180 mm
Rafter thickness:	70 x 150 mm 90 x 300 mm





## EVEREST 37.17 m<sup>2</sup>

Roof area: 40.83 m<sup>2</sup>

Dimensions: 6.30 x 5.90 m

Column thickness: 180 x 180 mm

Rafter thickness:  
50 x 150 mm  
90 x 250 mm